

In the specification:

Page 2, before "Background of the Invention" insert the following:

CROSS-REFERENCE TO A RELATED APPLICATION

Patent application serial no. contains a subject matter which is similar to the subject matter disclosed in the present application.

Page 9, amend the paragraph in lines 5-15 as follows:

For providing a two-hand guidance of the power tool for sawing, the power tool has an auxiliary handle 21. It is formed as a bracket handle and arranged forwardly of the drive shaft 13 of the circular saw blade 14 as considered in the working direction of the power tool, near its front region on the machine housing 10. The auxiliary handle which is identified herein below as the bracket handle 21 extends in a plane which is transverse to a plane of the handle 11. Its one handle end is placed on the protective hood 15. Its gripping region 211 which is substantially parallel to the rotary axis of the circular saw blade 14, extends above the support plate 16 at a distance from it. Its another gripping end is fixed on the motor housing 12. Thereby a very solid

mechanical connection of the bracket handle 21 on the machine housing 10 is guaranteed.

Page 11, amend the paragraph in lines 1-10 as follows:

The air is blown by the air impeller from the interior of the electric motor into an air inlet opening of the air passage 26 which is covered in Figure 3. The motor spent air flows, as shown by the arrow 27 in Figure 3, through the air passage 26 of the hollow bracket handle 21, and is discharged through the outlet 23 which is formed in the bracket handle 21 and surrounded by the outlet pipe 24. The outlet pipe 24 is oriented so that the flow direction of the motor spent air flowing out here is oriented away from the operator of the power tool. When the outlet pipe 24 is turnably movable, which can be implemented by a conventional structure, the operator can individually adjust the air discharge device as convenient to him or as necessary for the work applications.

Page 12, amend the paragraph in lines 10-14 as follows:

In accordance with a modification of the above described electric hand circular power tool, the bracket handle 21 is formed turnable around its inlet 22 and is arrestable in any of adjusted turning positions with the use of a conventional structure for this purpose. Thereby, in

addition to the possibility of adjusting the noise radiating direction, also an ergonomic effect is obtained.

Page 12, amend the paragraph in lines 15-18 as follows:

The invention is not limited to the specific electric hand circular power saw. It can be used for all hand-guided electric power tools with rotatable tools such as for example masonry-mills?\_rock saws, angle grinders, concrete grinders, eccentric grinders, etc.